

- 41 -

CLAIMS

1. A curing composition comprising a polymer having two or more thiol groups per molecule, a compound having two or more isocyanate groups per molecule, and carbon black, and further comprising a filler of which main ingredient is silicic acid or a silicate, or further comprising an organic filler of which main ingredient is pulverized coal.

2. The curing composition according to Claim 1, further comprising the filler of which main ingredient is silicic acid or a silicate and the organic filler of which main ingredient is pulverized coal.

3. The curing composition according to Claim 1, in which the filler of which main ingredient is silicic acid or a silicate is perlite, white carbon, or acid clay.

4. The curing composition according to Claim 1, in which the molar ratio (isocyanate groups/thiol groups) of isocyanate groups in the compound having two or more isocyanate groups per molecule to thiol groups in the polymer having two or more thiol groups per molecule is 0.5 to 4.0.

5. The curing composition according to Claim 1, comprising 20 to 200 parts by weight of carbon black relative to 100 parts by weight of the sum of the polymer having two or more thiol groups per molecule and the compound having two or more isocyanate groups per molecule.

6. The curing composition according to Claim 1, comprising 0.5 to 50 parts by weight of filler of which main ingredient is silicic acid or a silicate relative to 100 parts by weight of the sum of the polymer having two or more thiol groups per molecule and the compound having two or more isocyanate groups per molecule.

7. The curing composition according to Claim 1, comprising 0.5 to 150 parts by weight of organic filler of which main ingredient is pulverized coal relative to 100 parts by weight of the sum of the polymer having two or more thiol groups per molecule and the compound having two or more isocyanate groups per molecule.

8. The curing composition according to Claim 1, comprising 10 to 100 parts by weight of hydrocarbon plasticizer relative to 100 parts by weight of the sum of the polymer having two or more thiol groups per molecule and

the compound having two or more isocyanate groups per molecule.

9. The curing composition according to Claim 1, further comprising an organometallic compound.